Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	713/174.ccls. and bit near3 position with random	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/16 09:36
L2	0	713/174.ccls. and multipl$6 with dummy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/16 09:37
L3	0	713/174.ccls. and calculat$5 with dummy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/16 09:38
L4	64253	"235".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/16 09:39
L5	2669	235/492.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/16 09:39
L6	222	708/491.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/16 09:52
L7	4	380/28,46,47,29,262,263,268. CCLS. AND dummy with calculat$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/16 09:54
L8	17	713/193,322,323.ccls. and different$4 with power with analy$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/16 10:12
L9	4	713/193,322,323.ccls. and different$4 with power with analy$ and dummy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/16 10:12
S1	3	"9963696".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 18:11
S2	5	"2345229".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 18:12
S3	763	power adj analysis	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 18:36

S4	369	(power adj analysis) and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 18:36
S5	156	differential adj power adj analysis	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/07 18:36
S6	32	differential adj power adj analysis. ab. and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:13
S7	1	differential adj power adj analysis with exponent$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:14
S8	5	power adj analysis with exponent$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:16
S9	0	power adj analysis with binary and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:17
S10	9	power adj analysis with random$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:21
S11	11	(power or current) adj analysis with random$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:23
S12	50	different$3 adj (power or current) adj analysis and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:34
S13	0	different$3 adj (power or current) adj analysis with reduc$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:35
S14	0	different$3 adj (power or current) adj analy$ with reduc$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:35
S15	0	different$3 near (power or current) near analy$ with reduc$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:38

S16	43	713/174.ccls. and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:46
S17	3152	random$ with reduc$ with (signal or noise) and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:48
S18	0	random$ with reduc$ with (signal or noise) with power adj analysis and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:48
S19	27	random$ with reduc$ with (signal or noise) with analysis and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:51
S20	94	random$ with reduc$ with (signal or noise) and ("713".clas. or "380".clas.) and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:59
S21	1415	power near reduc$ and ("713". clas. or "380".clas.) and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 17:59
S22	12	power near reduc$ with analy$ and ("713".clas. or "380".clas.) and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 18:01
S23	3	reduc$ with analy$ near power and ("713".clas. or "380".clas.) and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/08 18:03
S24	0	sparse adj integer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 08:50
S25	4	modul$ adj exponent$ with power adj analysis	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:05
S26	1	modul$ adj exponent$ with power adj analysis and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:06
S27	2	modul$ adj exponent$ same power adj analysis and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:13

S28	3	power adj analysis with reduc$ with computation$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:14
S29	0	power adj analysis with reduc$ with calculation$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:15
S30	15	power adj analysis with calculation$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:16
S31	2	different$3 adj power adj analysis with computation$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:17
S32	0	commission$ with smart$card with (secret or private) adj key and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:18
S33	50	smart$card with (secret or private) adj key and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:20
S34	0	binary with minim$ with different$3 adj power adj analys$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:20
S35	0	binary with minim$ and different$3 adj power adj analys$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:20
S36	4	binary and different$3 adj power adj analys$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:24
S37	0	sparse with different$3 adj power adj analys$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:24
S38	0	sparse same different$3 adj power adj analys$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:24
S39	0	sparse and different$3 adj power adj analys$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:24

S40	6	sparse and power adj analys$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:51
S41	0	sparse with "713".clas. and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:52
S42	70	sparse and "713".clas. and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:57
S43	50	differential adj power adj analysis and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 13:19
S44	2	differential adj power adj analysis and insert$ with one and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 12:58
S45	1	differential adj power adj analysis and insert$ with '1' and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 13:00
S46	1	differential adj power adj analysis and binary with '1' and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 13:08
S47	70	insert$ with '1' with binary with select$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 13:10
S48	16	insert$ with '1' near2 binary with select$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 13:12
S49	1865	insert$ with bit with select$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 13:13
S50	7	insert$ with bit with select$ and power with analys$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 13:17
S51	9	insert$ with dummy adj bit with select$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:50

S52	30	differential adj power adj analysis and (random or dummy) and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 14:00
S53	467	insert$ with bit with zero with one and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 14:00
S54	0	insert$ with bit with zero with one with secret and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 14:01
S55	3	insert$ with bit with zero with one with power and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 14:41
S56	3	differential adj power adj analysis and random$ with exponent$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 14:42
S57	50	differential adj power adj analysis and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 14:42
S58	32	differential adj power adj analysis. ab. and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 14:43
S59	0	differential adj power adj analysis with modul$.ab. and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 14:43
S60	0	differential adj power adj analysis with exponent$.ab. and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 14:43
S61	1	differential adj power adj analysis with exponent$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 15:09
S62	5	goubin-louis.in. and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 14:44
S63	0	differential adj power adj analysis with RSA and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 15:09

S64	2	differential adj power adj analysis same RSA and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 15:11
S65	1	differential adj power adj analysis with modul$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 16:36
S66	19790795	random$ with binary with '1' with '0'and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 16:37
S67	390	random$ with binary with '1' with '0' and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 16:37
S68	0	random$ with binary with '1' with '0' with replac$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 16:39
S69	3	random$ with binary with '1' with '0' with place and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 16:53
S70	0	different$3 adj power adj analysis and add$3 with '1' with secret adj key and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 16:54
S71	16	different$3 adj power adj analysis and secret adj key and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 16:57
S72	0	modul$ with exponent$ with replac$ with bit and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/06/09 16:58
S74	4	differential adj power adj analysis and random$ with exponent$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:49
S75	27	random$ with reduc$ with (signal or noise) with analysis and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:49
S76	46	713/174.ccls. and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:49

S77	2	modul$ adj exponent$ same power adj analysis and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:49
S78	31	380/28,46.ccls. and dummy and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:52
S79	33	380/28,46.ccls. and prevent$3 with (observ$5 or analy$6) and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:59
S80	1	380/28,46.ccls. and dummy with (selected or certain) with calculat$5 and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 16:59
S81	3	380/28,46.ccls. and dummy with (selected or certain) and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:00
S82	41	calculat$3 with dummy with (selected or certain) and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:00
S83	0	calculat$3 with dummy with (selected or certain) and power with analy$6 and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:00
S84	11	calculat$3 with dummy with (selected or certain) and analy$6 and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:00
S85	41	calculat$3 with dummy with (selected or certain) and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:01
S86	0	calculat$3 with dummy with (selected or certain) with secret and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:01
S87	0	calculat$3 with dummy with (selected or certain) with $crypt$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:01
S88	3	calculat$3 with dummy with $crypt$ and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:01

S89	0	dummy adj calculation and different$3 with power with analy$6 and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:02
S90	0	dummy adj calculation and different$7 with power with analy$6 and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:02
S91	3	dummy with (calculat$6 or comput$7) and different$5 with power with analy$6 and @ad<="20001107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:21
S92	1378	packet with filter$5 with (compar$5 or match$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:21
S93	3	packet with filter$5 with (compar$5 or match$6) with manag$4 with policy	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:23
S94	18	packet with filter$5 with (compar$5 or match$6) and security with policy with database	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/09/15 17:23